

## Refine Search

### Search Results -

Term	Documents
POLYAMIDE	212981
POLYAMIDES	89690
POLYARYLSULFONE	561
POLYARYLSULFONES	537
POLYARYLSULPHONE	152
POLYARYLSULPHONES	97
POLYARYLEETHERKETONE	425
POLYARYLEETHERKETONES	260
POLYARYLEETHERETHERKETONE	63
POLYARYLEETHERETHERKETONES	3
POLYARYLEETHERIMIDE	2
(L5 AND (POLYAMIDE OR POLYARYLSULFONE OR POLYARYLEETHERKETONE OR POLYARYLEETHERETHERKETONE OR POLYARYLEETHERIMIDE OR POLYARYLIMIDE OR POLYARYLENE SULFIDE OR THERMOTROPIC LIQUID CRYSTAL POLYMER) ).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	16

[There are more results than shown above. Click here to view the entire set.](#)

Database:

US Pre-Grant Publication Full-Text Database  
US Patents Full-Text Database  
US OCR Full-Text Database  
EPO Abstracts Database  
JPO Abstracts Database  
Derwent World Patents Index  
IBM Technical Disclosure Bulletins

Search:

L6



Refine Search

Recall Text



Clear

Interrupt

### Search History

DATE: Thursday, May 27, 2004 [Printable Copy](#) [Create Case](#)

[Set](#)  
[Name](#) [Query](#)  
side by  
side

[Hit](#)  
[Count](#) [Se](#)  
[Nam](#)  
[resu](#)  
[set](#)

h e b b cg b e e ch

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L6</u>	L5 and (polyamide or polyarylsulfone or polyaryletherketone or polyaryletheretherketone or polyaryletherimide or polyarylimide or polyarylene sulfide or thermotropic liquid crystal polymer)	16	<u>L6</u>
<u>L5</u>	L3 with (plate or structure or support)	22	<u>L5</u>
<u>L4</u>	L3 and fuel cell	0	<u>L4</u>
<u>L3</u>	L2 with (length or dimension or mm)	142	<u>L3</u>
<u>L2</u>	L1 with (weight or wt or percent)	519	<u>L2</u>
<u>L1</u>	(thermoplastic near2 resin) with (glass near2 fiber)	4553	<u>L1</u>

END OF SEARCH HISTORY

# Refine Search

## Search Results -

Term	Documents
FUEL	768566
FUELS	90861
CELL	1086609
CELLS	742019
(17 AND (FUEL ADJ CELL)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	2
(L17 AND FUEL CELL ).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	2

Database:

US Pre-Grant Publication Full-Text Database  
US Patents Full-Text Database  
US OCR Full-Text Database  
EPO Abstracts Database  
JPO Abstracts Database  
Derwent World Patents Index  
IBM Technical Disclosure Bulletins

Search:

L18

Refine Search

Recall Text

Clear

Interrupt

## Search History

DATE: Thursday, May 27, 2004 [Printable Copy](#) [Create Case](#)

Set  
Name Query

side by  
side

Hit  
Count  
Se  
Nam  
resu  
set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L18</u>	L17 and fuel cell	2	<u>L1</u>
<u>L17</u>	endplate with (thermoplastic near2 resin)	5	<u>L1</u>
<u>L16</u>	l8 with resin	2	<u>L1</u>
<u>L15</u>	endplate same fuel cell same (thermoplastic near2 resin)	1	<u>L1</u>
<u>L14</u>	l8 and (thermoplastic near2 resin)	7	<u>L1</u>
<u>L13</u>	l8 same (thermoplastic near2 resin)	1	<u>L1</u>
<u>L12</u>	l8 with (thermoplastic near2 resin)	1	<u>L1</u>
<u>L11</u>	L8 and l1	1	<u>L1</u>
<u>L10</u>	L8 same l1	0	<u>L1</u>
<u>L9</u>	L8 with l1	0	<u>L9</u>

<u>L8</u>	endplate with fuel cell	67	<u>L8</u>
<u>L7</u>	US-5194462-\$.did.	2	<u>L7</u>
<u>L6</u>	L5 and (polyamide or polyarylsulfone or polyaryletherketone or polyaryletheretherketone or polyaryletherimide or polyarylimide or polyarylene sulfide or thermotropic liquid crystal polymer)	16	<u>L6</u>
<u>L5</u>	L3 with (plate or structure or support)	22	<u>L5</u>
<u>L4</u>	L3 and fuel cell	0	<u>L4</u>
<u>L3</u>	L2 with (length or dimension or mm)	142	<u>L3</u>
<u>L2</u>	L1 with (weight or wt or percent)	519	<u>L2</u>
<u>L1</u>	(thermoplastic near2 resin) with (glass near2 fiber)	4553	<u>L1</u>

END OF SEARCH HISTORY